


**CMPtR11**  
**GLASS BODIED ORP ELECTRODE WITH PLATINUM ROD SENSOR**

**Applications:** Best for laboratory ORP measurements.

**Features:** Platinum Sensing Rod  
 Silver/Silver Chloride Reference system.  
 Liquid filled reference cell.

<b>ORP Range</b>	-1999 to +1999mV	<b>Temp' Range/°C</b>	0-100
<b>Pressure Range</b>	Up to 1 Bar	<b>Reproducibility</b>	< 0.5 mV
<b>Long term stability (drift) 20°C in 4.00 Buffer</b>	< 2mV/Hr	<b>Electrode Resistance</b>	< 2 Megohms
<b>Response Time</b>	< 30 sec		

(max. time for 95% of step)



<b>Waterproof</b>	NO	<b>Sensor</b>	Platinum Rod
<b>Dimensions below cap</b>	120 x 12mm	<b>Refillable</b>	Yes
<b>Cable length</b>	1M	<b>Cable termination</b>	BNC
<b>Storage solution</b>	S00V/	<b>Body material</b>	Glass
<b>Reference type</b>	Ag/AgCl in liquid electrolyte	<b>Shelf life</b>	12 months

**The CMPtR11 is a refillable, glass-bodied combination ORP electrode. The electrode incorporates a reference system containing a ceramic junction and liquid electrolyte allowing consistent and reliable readings within general laboratory applications.**

**Thermo Electron** Station Road, Auchtermuchty, Fife, UK KY14 7DP  
**Tel:** +44 (0)1337 828871 **Fax:** +44 (0)1337 828972  
**E-mail:** [sales.water.uk@thermo.com](mailto:sales.water.uk@thermo.com) **Website:** <http://www.thermo.com>